G-Stomper Studio
G-Stomper Rhythm
G-Stomper VA-Beast

User Manual

App Version: 4.4
Date: 03/09/2015
Author: planet-h.com

Official Website: http://www.planet-h.com/

Contents

15 Data Copy & Clear Framework 2

15.1 Patterns 3
15.1.1 Copy Pattern (Selective Content) 4
15.1.2 Swap Patterns (Selective Content) 8
15.1.3 Clear Pattern (Selective Content) 11
15.1.4 Copy FX (Selective Content) 13
15.1.5 Copy Master/SumFX (Selective Content) 16
15.1.6 Copy Timing & Measure (Selective Content) 19

15.2 Sampler Tracks 22
15.2.1 Copy Track (Selective Content) 23
15.2.2 Swap Tracks (Selective Content) 27
15.2.3 Copy Track Sequence to VA-Beast Track 29
15.2.4 Clear Track (Selective Content) 31

15.3 VA-Beast Tracks 33
15.3.1 Copy Track (Selective Content) 34
15.3.2 Swap Tracks (Selective Content) 38
15.3.3 Clear Track (Selective Content) 40

15 Data Copy & Clear Framework

G-Stomper Studio provides a very flexible framework to copy Pattern or Track data around.

The Data Copy & Clear Framework allows you to …

- … copy data from Patterns or Tracks to a wide range of destinations
  - to single Patterns
  - to single Tracks
  - to all Patterns in a Set
  - a selection of Patterns
  - a complete Pattern Bank
- … swap data between Patterns or Tracks
- … clear data from Patterns or Tracks

You can copy, swap or clear …

- … complete Patterns or selective content
- … complete Tracks or selective content
- … complete FX setup of selective content
- … complete Master/SumFX setup or selective content
- … complete Timing & Measure setup or selective content

In Short, you can copy everything to everywhere at every time.

15.1 Patterns

The operations directly related to Patterns are located in the Pattern Slot long press menu, either on the Pattern Set screen or in the Quick Pattern Set Navigator, which is shown by long pressing the main menu button.

(Pattern Slot Menu)





Alternative you an access all Pattern related copy, swap and clear operations can be accessed direcly from the main menu on every screen.





Note:
If you access the operations from the regular main menu, then you always act on the currently selected Pattern. On the Pattern Slot long press menu, you have the freedome to choose the Pattern to be used.

15.1.1 Copy Pattern (Selective Content)

Long press a Pattern Slot to show up the Pattern Slot Menu.

To copy Pattern content, select the COPY tab, and then choose "Pattern (Selective Content)".



In the following dialog, you can choose the content and destination for the copy process.
(by default, the complete Pattern is selected)

"Show Content Details" shows up detailed controls to select/deselect particular parts of the Pattern.



Choose "Select Bars", if you want to copy only a selection of bars, rather than the complete Pattern length.



Select the content you want to copy, or deselect the parts to be excluded from the process.





Note:
There are additional, more fine-grained copy operations available for FX, Master/SumFX, Timing & Measure (see Chapters: Copy FX, Copy Master/SumFX, Copy Timing & Measure)

Now select the destination for the copy process.



For this example, we leave the destination at „.. to a Pattern of your choice" (which is the default).

Note:
You can also choose to copy your selection ..
.. to a Pattern of your choice
.. to all Patterns in the Pattern Set
.. to in a selection of Patterns in the Pattern Set
.. to all Patterns in a selection of Pattern Banks (A, B, C, D) in the Pattern Set

Confirm with OK.

Since we've selected „.. to a Pattern of your choice" as destination, you'll be prompted to select the destination Pattern.


G-Stomper-4-Demo
A-01: Copy Pattern Content
Contents have been copied to clipboard.
Now click the destination Slot to paste the contents of A-01 into.
Got it! Don't show this dialog again
OK

Note: Depending on the selected destination, you'll be prompted differently (e.g. to select multiple Patterns or Pattern Banks).

Finally, select the destination Slot to copy the Pattern content to.

In the case you've copied the complete Pattern (and not only parts of it), you'll be prompted to set a new name for the copied Pattern.



Note: The Pattern name is not mandatory, it's just a help to organize Patterns within a Pattern Set.

15.1.2 Swap Patterns (Selective Content)

Long press a Pattern Slot to show up the Pattern Slot Menu.

To swap Pattern content with another Pattern, select the COPY tab, and then choose "Swap Patterns (Selective Content)".



In the following dialog, you can choose the content for the swap process.
(by default, the complete Pattern is selected)

"Show Content Details" shows up detailed controls to select/deselect particular parts of the Pattern.



Select the content you want to swap, or deselect the parts to be excluded from the process.





Once confirmed, you'll be prompted to select the Pattern to swap the selected content with.


G-Stomper-4-Demo
A-01: Swap Pattern Contents
Contents have been copied to clipboard.
Now click the destination Slot to swap the contents of A-01 with.
Got it! Don't show this dialog again
OK

Finally, select the destination Slot to swap the Pattern content with.



15.1.3 Clear Pattern (Selective Content)

Long press a Pattern Slot to show up the Pattern Slot Menu.



To clear Pattern content, select the CLR tab, and then choose "Pattern (Selective Content)".



In the following dialog, you can choose the content for the clear process.
(by default, the complete Pattern is selected)

"Show Content Details" shows up detailed controls to select/deselect particular parts of the Pattern.



Select the content you want to clear, or deselect the parts to be excluded from the process.







Once double confirmed, the selected content will be cleared.

15.1.4 Copy FX (Selective Content)

Long press a Pattern Slot to show up the Pattern Slot Menu.

To copy FX content, select the COPY tab, and then choose "FX (Selective Content)".



In the following dialog, you can choose the content and destination for the copy process.
(by default, the complete FX setup is selected)

Select the content you want to copy, or deselect the parts to be excluded from the process.



Now select the destination for the copy process.
(by default, the destination is set to a single Pattern)



For this example, we leave the destination at „.. to a Pattern of your choice" (which is the default).

Note:
You can also choose to copy your selection ..
.. to a Pattern of your choice
.. to all Patterns in the Pattern Set
.. to in a selection of Patterns in the Pattern Set
.. to all Patterns in a selection of Pattern Banks (A, B, C, D) in the Pattern Set

Confirm with OK.

Since we've selected „.. to a Pattern of your choice" as destination, you'll be prompted to select the destination Pattern.


A-01: Copy FX Content
Contents have been copied to clipboard.
Now click the destination Slot to paste the FX contents of A-01 into.
Got it! Don't show this dialog again
OK

Note: Depending on the selected destination, you'll be prompted differently (e.g. to select multiple Patterns or Pattern Banks).

Finally, select the destination Slot to copy the FX content to.



15.1.5 Copy Master/SumFX (Selective Content)

Long press a Pattern Slot to show up the Pattern Slot Menu.

To copy Master/SumFX content, select the COPY tab, and then choose "Master/SumFX (Selective Content)".



Select the content you want to copy, or deselect the parts to be excluded from the process.
(by default, the complete Master/SumFX setup is selected)



Now select the destination for the copy process.
(by default, the destination is set to a single Pattern)



For this example, we leave the destination at „.. to a Pattern of your choice" (which is the default).

Note:
You can also choose to copy your selection ..
.. to a Pattern of your choice
.. to all Patterns in the Pattern Set
.. to in a selection of Patterns in the Pattern Set
.. to all Patterns in a selection of Pattern Banks (A, B, C, D) in the Pattern Set

Confirm with OK.

Since we've selected „.. to a Pattern of your choice" as destination, you'll be prompted to select the destination Pattern.


G-Stomper-4-Demo
A-01: Copy Master/SumFX Content
Contents have been copied to clipboard.
Now click the destination Slot to paste the Master contents of A-01 into.
Got it! Don't show this dialog again
OK

Note: Depending on the selected destination, you'll be prompted differently (e.g. to select multiple Patterns or Pattern Banks).

Finally, select the destination Slot to copy the Master/SumFX content to.



15.1.6 Copy Timing & Measure (Selective Content)

Long press a Pattern Slot to show up the Pattern Slot Menu.



To copy Timing & Measure content, select the COPY tab, and then choose "Timing & Measure (Selective Content)".



Select the content you want to copy, or deselect the parts to be excluded from the process. (by default, the complete Timing & Measure setup is selected)



Now select the destination for the copy process.
(by default, the destination is set to a single Pattern)



For this example, we leave the destination at „.. to a Pattern of your choice" (which is the default).

Note:
You can also choose to copy your selection ..
.. to a Pattern of your choice
.. to all Patterns in the Pattern Set
.. to in a selection of Patterns in the Pattern Set
.. to all Patterns in a selection of Pattern Banks (A, B, C, D) in the Pattern Set

Confirm with OK.

Since we've selected „.. to a Pattern of your choice" as destination, you'll be prompted to select the destination Pattern.


G-Stomper-4-Demo
A-01: Copy Timing & Measure Content
Contents have been copied to clipboard.
Now click the destination Slot to paste the Timing & Measure contents of A-01 into.
Got it! Don't show this dialog again
OK

Note: Depending on the selected destination, you'll be prompted differently (e.g. to select multiple Patterns or Pattern Banks).

Finally, select the destination Slot to copy the Timing & Measure content to.



15.2 Sampler Tracks

The operations related to particular Sampler Tracks are located in the Track long press menu.

(Track Menu)



15.2.1 Copy Track (Selective Content)

Long press a T[..] pad to show up the Track menu (Track Pad Mode must be Play/Menu).

To copy Track content, select the COPY tab, and then choose "Track (Selective Content)".



In the following dialog, you can choose the content and destination for the copy process.
(by default, the complete Track is selected)

"Show Content Details" shows up detailed controls to select/deselect particular parts of the Track.



Choose "Select Bars", if you want to copy only a selection of bars, rather than the complete Pattern length.



Select the content you want to copy, or deselect the parts to be excluded from the process.



Now select the destination for the copy process.



For this example, we leave the destination at „.. to a Track T.. of your choice" (which is the default).

Note:
You can also choose to copy your selection ..
.. to a Track T.. of your choice (in a Pattern of your choice)
.. to the same Track in all Patterns in the Pattern Set
.. to the same Track in a selection of Patterns in the Pattern Set
.. to the same Track in all Patterns in a selection of Pattern Banks (A, B, C, D) in the Pattern Set

Confirm with OK.

Since we've selected „.. to a Track T.. of your choice" as destination, you'll be prompted to select the destination Track.


T01: Copy Track Content
Contents have been copied to clipboard.
Now click the destination Track to paste the contents of T01 into.
Got it! Don't show this dialog again
OK

Note: Depending on the selected destination, you'll be prompted differently (e.g. to select multiple Patterns or Pattern Banks).

Finally, select the destination Track to copy the Track content to.

Note: The destination Track can be in the same or in any other Pattern, you can navigate to another Pattern in the Pattern Set, or you can even load another Pattern before you paste the copied content.

15.2.2 Swap Tracks (Selective Content)

Long press a T[..] pad to show up the Track menu (Track Pad Mode must be Play/Menu).

To swap Track content with another Track, select the COPY tab, and then choose "Swap Tracks (Selective Content)".



In the following dialog, you can choose the content for the swap process.
(by default, the complete Track is selected)

"Show Content Details" shows up detailed controls to select/deselect particular parts of the Track.



Select the content you want to swap, or deselect the parts to be excluded from the process.



Once confirmed, you'll be prompted to select the Track to swap the selected content with.


T01: Swap Track Contents
Contents have been copied to clipboard.
Now click the destination Track to swap the contents of T01 with.
Got it! Don't show this dialog again
OK

Finally, select the destination Track to swap the Track content with.

Note: The destination Track can be in the same or in any other Pattern, you can navigate to another Pattern in the Pattern Set before you select the destionation Track.

15.2.3 Copy Track Sequence to VA-Beast Track

"Copy Track Sequence to VA-Beast Track" is used to copy a tonal sequence from a monophonic Sampler Track to a polyphonic VA-Beast Track. It's a copy of the sequence only (not the sound or its settings).

Long press a T[..] pad to show up the Track menu (Track Pad Mode must be Play/Menu).

To copy Track content, select the COPY tab, and then choose "Track (Selective Content)".



You'll be prompted to select the destination Track.


T01: Copy Track Sequence to VA-Beast Track
Contents have been copied to clipboard.
Now click the destination Track VT.. to paste the Sequence of T01 into.
Got it! Don't show this dialog again
OK
PLAY/MENU

Now show up the VA-Beast Poly Grid in use of the "View" menu



Finally, select the destination VT[..] Track to copy the Track Sequence to.



Note: The destination Track can be in the same or in any other Pattern, you can navigate to another Pattern in the Pattern Set, or you can even load another Pattern before you paste the copied content.

15.2.4 Clear Track (Selective Content)

Long press a T[..] pad to show up the Track menu (Track Pad Mode must be Play/Menu).

To clear Track content, select the CLR tab, and then choose "Track (Selective Content)".

In the following dialog, you can choose the content and destination for the clear process.
(by default, the complete Track is selected)

"Show Content Details" shows up detailed controls to select/deselect particular parts of the Track.



Select the content you want to clear, or deselect the parts to be excluded from the process.





Once double confirmed, the selected content will be cleared.

15.3 VA-Beast Tracks

The operations related to particular VA-Beast Tracks are located in the Track long press menu.





(Track Menu)





15.3.1 Copy Track (Selective Content)

Long press a VT[..] pad to show up the Track menu (Track Pad Mode must be Sel/Menu).

To copy Track content, select the COPY tab, and then choose "Track (Selective Content)".



In the following dialog, you can choose the content and destination for the copy process.
(by default, the complete Track is selected)

"Show Content Details" shows up detailed controls to select/deselect particular parts of the Track.



Choose "Select Bars", if you want to copy only a selection of bars, rather than the complete Pattern length.



Select the content you want to copy, or deselect the parts to be excluded from the process.



Now select the destination for the copy process.



For this example, we leave the destination at „.. to a Track VT.. of your choice" (which is the default).

Note:
You can also choose to copy your selection ..
.. to a Track VT.. of your choice (in a Pattern of your choice)
.. to the same Track in all Patterns in the Pattern Set
.. to the same Track in a selection of Patterns in the Pattern Set
.. to the same Track in all Patterns in a selection of Pattern Banks (A, B, C, D) in the Pattern Set

Confirm with OK.

Since we've selected „.. to a Track VT.. of your choice" as destination, you'll be prompted to select the destination Track.



Note: Depending on the selected destination, you'll be prompted differently (e.g. to select multiple Patterns or Pattern Banks).

Finally, select the destination Track to copy the Track content to.



Note: The destination Track can be in the same or in any other Pattern, you can navigate to another Pattern in the Pattern Set, or you can even load another Pattern before you paste the copied content.

15.3.2 Swap Tracks (Selective Content)

Long press a VT[..] pad to show up the Track menu (Track Pad Mode must be Sel/Menu).

To swap Track content with another Track, select the COPY tab, and then choose "Swap Tracks (Selective Content)".



In the following dialog, you can choose the content and destination for the swap process.
(by default, the complete Track is selected)

"Show Content Details" shows up detailed controls to select/deselect particular parts of the Track.



Select the content you want to swap, or deselect the parts to be excluded from the process.



Once confirmed, you'll be prompted to select the Track to swap the selected content with.



Finally, select the destination Track to swap the Track content with.

Note: The destination Track can be in the same or in any other Pattern, you can navigate to another Pattern in the Pattern Set before you select the destionation Track.

15.3.3 Clear Track (Selective Content)

Long press a VT[..] pad to show up the Track menu (Track Pad Mode must be Sel/Menu).

To clear Track content, select the CLR tab, and then choose "Track (Selective Content)".



In the following dialog, you can choose the content and destination for the clear process.
(by default, the complete Track is selected)

"Show Content Details" shows up detailed controls to select/deselect particular parts of the Track.



Select the content you want to clear, or deselect the parts to be excluded from the process.





Once double confirmed, the selected content will be cleared.